



January 06, 2026

Lauren Doherty
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: MAWOOD 12/16
Pace Project No.: 70398788

Dear Lauren Doherty:

Enclosed are the analytical results for sample(s) received by the laboratory on December 19, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Lori Beyer'.

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures

cc: Lauren Doherty, Intertek PSI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: MAWOOD 12/16

Pace Project No.: 70398788

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70398788001	MW-R128 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788002	MW-R127 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788003	MW-R126 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788004	MW-R125 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788005	MW-R123 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788006	MW-R122 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788007	MW-FF DF 1	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788008	MW-FF DF 2	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788009	MW-FF BF	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788010	MW-LOUNGE KS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788011	MW-R111 BS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788012	MW-R110 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788013	MW-R108 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788014	MW-R208 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788015	MW-R210 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788016	MW-R211 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788017	MW-SF DF 1	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788018	MW-SF DF 2	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788019	MW-SF BF	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788020	MW-R233 CS	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788021	MW-R146 KS 1	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788022	MW-R146 KS 2	Drinking Water	12/16/25 00:00	12/19/25 10:00
70398788023	MW-R146 KS 3	Drinking Water	12/16/25 00:00	12/19/25 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: MAWOOD 12/16

Pace Project No.: 70398788

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70398788001	MW-R128 CS	EPA 200.8	JP2	1
70398788002	MW-R127 CS	EPA 200.8	JP2	1
70398788003	MW-R126 CS	EPA 200.8	JP2	1
70398788004	MW-R125 CS	EPA 200.8	JP2	1
70398788005	MW-R123 CS	EPA 200.8	JP2	1
70398788006	MW-R122 CS	EPA 200.8	JP2	1
70398788007	MW-FF DF 1	EPA 200.8	JP2	1
70398788008	MW-FF DF 2	EPA 200.8	JP2	1
70398788009	MW-FF BF	EPA 200.8	JP2	1
70398788010	MW-LOUNGE KS	EPA 200.8	JP2	1
70398788011	MW-R111 BS	EPA 200.8	JP2	1
70398788012	MW-R110 CS	EPA 200.8	JP2	1
70398788013	MW-R108 CS	EPA 200.8	JP2	1
70398788014	MW-R208 CS	EPA 200.8	JP2	1
70398788015	MW-R210 CS	EPA 200.8	JP2	1
70398788016	MW-R211 CS	EPA 200.8	JP2	1
70398788017	MW-SF DF 1	EPA 200.8	JP2	1
70398788018	MW-SF DF 2	EPA 200.8	JP2	1
70398788019	MW-SF BF	EPA 200.8	JP2	1
70398788020	MW-R233 CS	EPA 200.8	JP2	1
70398788021	MW-R146 KS 1	EPA 200.8	JP2	1
70398788022	MW-R146 KS 2	EPA 200.8	JP2	1
70398788023	MW-R146 KS 3	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R128 CS		Lab ID: 70398788001		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R127 CS		Lab ID: 70398788002		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R126 CS		Lab ID: 70398788003	Collected: 12/16/25 00:00	Received: 12/19/25 10:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/06/26 12:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R125 CS		Lab ID: 70398788004		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R123 CS		Lab ID: 70398788005		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R122 CS		Lab ID: 70398788006		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-FF DF 1		Lab ID: 70398788007		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-FF DF 2		Lab ID: 70398788008		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-FF BF		Lab ID: 70398788009		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16
Pace Project No.: 70398788

Sample: MW-LOUNGE KS		Lab ID: 70398788010		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MAWOOD 12/16
Pace Project No.: 70398788

Sample: MW-R111 BS		Lab ID: 70398788011		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R110 CS		Lab ID: 70398788012		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R108 CS		Lab ID: 70398788013		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R208 CS		Lab ID: 70398788014		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R210 CS		Lab ID: 70398788015		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R211 CS		Lab ID: 70398788016		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-SF DF 1		Lab ID: 70398788017		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-SF DF 2		Lab ID: 70398788018		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-SF BF		Lab ID: 70398788019		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:49	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16
Pace Project No.: 70398788

Sample: MW-R233 CS		Lab ID: 70398788020		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R146 KS 1		Lab ID: 70398788021		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:52	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R146 KS 2		Lab ID: 70398788022		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MAWOOD 12/16

Pace Project No.: 70398788

Sample: MW-R146 KS 3		Lab ID: 70398788023		Collected: 12/16/25 00:00		Received: 12/19/25 10:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		01/06/26 12:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MAWOOD 12/16

Pace Project No.: 70398788

QC Batch:	435312	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70398788001, 70398788002, 70398788003, 70398788004, 70398788005, 70398788006

METHOD BLANK: 2334714 Matrix: Water
Associated Lab Samples: 70398788001, 70398788002, 70398788003, 70398788004, 70398788005, 70398788006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/06/26 11:42	

LABORATORY CONTROL SAMPLE: 2334715

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.8	98	85-115	

MATRIX SPIKE SAMPLE: 2334717

Parameter	Units	70398802194 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	100	71.6	72	70-130	

MATRIX SPIKE SAMPLE: 2334719

Parameter	Units	70398802195 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	100	76.3	76	70-130	

SAMPLE DUPLICATE: 2334716

Parameter	Units	70398802194 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2334718

Parameter	Units	70398802195 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MAWOOD 12/16

Pace Project No.: 70398788

QC Batch:	435314	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70398788007, 70398788008, 70398788009, 70398788010, 70398788011, 70398788012, 70398788013, 70398788014, 70398788015, 70398788016, 70398788017, 70398788018, 70398788019, 70398788020, 70398788021, 70398788022, 70398788023		

METHOD BLANK:	2334723	Matrix:	Water
Associated Lab Samples:	70398788007, 70398788008, 70398788009, 70398788010, 70398788011, 70398788012, 70398788013, 70398788014, 70398788015, 70398788016, 70398788017, 70398788018, 70398788019, 70398788020, 70398788021, 70398788022, 70398788023		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/06/26 12:22	

LABORATORY CONTROL SAMPLE:	2334724					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.8	100	85-115	

MATRIX SPIKE SAMPLE:	2334726						
Parameter	Units	70398788007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	62.6	125	70-130	

MATRIX SPIKE SAMPLE:	2334728						
Parameter	Units	70398788008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	58.5	117	70-130	

SAMPLE DUPLICATE:	2334725					
Parameter	Units	70398788007 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	2334727					
Parameter	Units	70398788008 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: MAWOOD 12/16

Pace Project No.: 70398788

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 70398788

[1] Sample collection times were not provided on the chain of custody documents. Pace Analytical LIMs defaults to the earliest time of collection date.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MAWOOD 12/16

Pace Project No.: 70398788

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70398788001	MW-R128 CS	EPA 200.8	435312		
70398788002	MW-R127 CS	EPA 200.8	435312		
70398788003	MW-R126 CS	EPA 200.8	435312		
70398788004	MW-R125 CS	EPA 200.8	435312		
70398788005	MW-R123 CS	EPA 200.8	435312		
70398788006	MW-R122 CS	EPA 200.8	435312		
70398788007	MW-FF DF 1	EPA 200.8	435314		
70398788008	MW-FF DF 2	EPA 200.8	435314		
70398788009	MW-FF BF	EPA 200.8	435314		
70398788010	MW-LOUNGE KS	EPA 200.8	435314		
70398788011	MW-R111 BS	EPA 200.8	435314		
70398788012	MW-R110 CS	EPA 200.8	435314		
70398788013	MW-R108 CS	EPA 200.8	435314		
70398788014	MW-R208 CS	EPA 200.8	435314		
70398788015	MW-R210 CS	EPA 200.8	435314		
70398788016	MW-R211 CS	EPA 200.8	435314		
70398788017	MW-SF DF 1	EPA 200.8	435314		
70398788018	MW-SF DF 2	EPA 200.8	435314		
70398788019	MW-SF BF	EPA 200.8	435314		
70398788020	MW-R233 CS	EPA 200.8	435314		
70398788021	MW-R146 KS 1	EPA 200.8	435314		
70398788022	MW-R146 KS 2	EPA 200.8	435314		
70398788023	MW-R146 KS 3	EPA 200.8	435314		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace®
Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12110

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name:	Intertek-PSI	Contact/Report To:	William Kotas
Street Address:	17 British American Blvd, Latham, NY 12210	Phone #:	(518) 777-9841
Customer Project #:		E-Mail:	willam.kotas@intertek.com
Project Name:	Capital Region BOCES Facility	Invoice To:	PSI Latham Accounts Payable
Site Collection Info/Facility ID (as applicable):		Invoice E-Mail:	LathamAR@Intertek.com
		Purchase Order # (if applicable):	
		Quote #:	CR-BOCES 23-057

Time Zone Collected:	[] AK	[] PT	[] MT	[] CT	[X] ET	County / State origin of sample(s):	New York
Data Deliverables:							
[] Level II	[] Level III	[] Level IV	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW				
[] EQUIS	Rush (Pre-approval required):						
[] Other	[] 2 Day [] 3 day [] 5 day [] Other						
Date Results Requested:						DW PWSID # or WW Permit # as applicable:	
Standard 10 business day						Field Filtered (if applicable): [] Yes [] No	
Analysis:							

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (O), Wipe (WP), Tissue (TS), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CLZ	Number & Type of Containers
			Date	Time	Date	Time		
NW. R111. BS	DW	G	12/16				1	
NW. R110. CS								
NW. R108. CS								
NW. R208. CS								
NW. R210. CS								
NW. R211. CS								
NW. SF. DF-1								
NW. SF DF-2								
NW. SF BF								
NW. 0233. CS								

Customer Remarks / Special Conditions / Possible Hazards:
Lead NY Schools

Customer Remarks / Special Conditions / Possible Hazards: Lead NY Schools	Relinquished by Company: (Signature) 	Date/Time: 12/18	Relinquished by Company: (Signature) 	Received by Company: (Signature) 	Collected By: Printed Name: Signature: 
	Relinquished by Company: (Signature) 	Date/Time: 12/18 1610	Relinquished by Company: (Signature) 	Received by Company: (Signature) 	
	Relinquished by Company: (Signature) 	Date/Time: 12/19/25 0350	Relinquished by Company: (Signature) 	Received by Company: (Signature) 	

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12110
Customer Project #: L. Doherty
Project Name: Capital Region BOCES Facility

Contact/Report To: William Kotas
Phone #: 518-377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail: kevin.shape@veric.org
Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com
Purchase Order # (if applicable):
Quote #: CR-BOCES 23-057

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Site Collection Info/Facility ID (as applicable):
Time Zone Collected: [] Level II [] Level III [] Level IV
[] EQUIS
[] Other

Customer Sample ID: DW
Comp / Grab: 1G
Date: 12/16

Matrix: DW
Date: 12/16

Number & Type of Containers: 1 Plastic

Res. CL2: 1

Field Filtered (if applicable): [] Yes [] No

Analysis: DW PWSID # or WW Permit # as applicable:
Standard 10 business day

Additional Instructions from Pace®:
Collected By: [Signature]
Printed Name: [Name]
Signature: [Signature]

Customer Remarks / Special Conditions / Possible Hazards:
Lead NY Schools

Relinquished by Company (Signature): [Signature]
Date/Time: 12/16 1610
Relinquished by Company (Signature): [Signature]
Date/Time: 12/16 1610
Relinquished by Company (Signature): [Signature]
Date/Time: 12/16 1610
Relinquished by Company (Signature): [Signature]
Date/Time: 12/16 1610

Tracking Number: 1216165 1610
Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other

Page: 3 of 3

ENV-FRM-CORQ-0019_v01_082123 ©

Client: Inter Latham

Profile #:

10367

COC Page

Work ID:

MaWood 12/16

of

Use Point Number Spreadsheet

Multiday Project

Add SCLOGFD to first sample for field charge

COC	Line	Item	Matrix	Container Codes
1	1	1		
2	2	2		
3	3	3		
4	4	4		
5	5	5		
6	6	6		
7	7	7		
8	8	8		
9	9	9		
10	10	10		
11	11	11		
12	12	12		

Container Codes

Glass	Plastic
VG9U 40mL unpres clear vial	BP4U 125mL unreserved plastic
VG9C 40mL Ascorbic-HCl clear vial	BP3U 250mL unreserved plastic
VG9H 40mL HCl clear vial	BP2U 500mL unreserved plastic
VG9S 40mL Sulfuric clear vial	BP1U 1L unreserved plastic
VG9T 40mL Na Thiosulfate vial	BP4N 125mL HNO3 plastic
DG9Y 40mL Citrate-Na Thiosulfate	BP3N 250mL HNO3 plastic
DG9P 40mL amber vial - TSP	BP2N 500mL H2SO4 plastic
DG9A Ascorbic/Maleic Acid 40mL	BP3S 250mL H2SO4 plastic
DG6T Na Thio 60mL Vial	BP2S 500mL H2SO4 plastic
DG9S Ammonium Cl/CuSO4 40mL	BP3C 250mL NaOH 250mL bottle
CG1U 1L Unpres Jar (Can Ed)	BP3T 250mL Trizma
WG9O 8oz clear soil jar	BP3R 250mL Ammonium Acetate
WG4O 4oz clear soil jar	BP1Z 1L NaOH, Zn Acetate
	BP1N 1L HNO3 plastic
	BP1B Na Thiosulfate Amber Bottle

Misc.
SP5T 120mL Caliform Na Thio
R Terracore Kit
WG2U 2oz Unreserved Jar
WG6U 4oz Unreserved Jar
WGKU 8oz Unreserved Jar
WGDU 16oz Unreserved Jar
ZPLC Ziplock Bag
TEDL Tedlar Bag
BG1H 1L HCl Clear Glass
GN General
WIP Wipe
LLHG Low Level Ha Bottles
BG1N 1L HNO3 Clear Glass

IOC
BP1U 1L unreserved plastic
BP3N 250mL HNO3 plastic
BP3C 250mL Sodium Hydroxide
AG2U 500mL unreserved glass
BP3U 250mL unreserved plastic

* Can also be a BP4N

Matrix
WT Water
SL Solid
NAL Non-aqueous Liquid
OL OIL
WP Wipe
DW Drinking Water

SOC
VG9T 40mL Na Thio amber vial
DG9A 40mL Ascorbic acid/maleic acid vials
DG9Y Citrate/Na Thiosulfate 40mL
DG6T Na Thiosulfate 60mL vial
DG6M MonoChloro/Na Thio 60mL
AG3U 250mL unreserved glass
AG3T Na Thiosulfate 250mL bottle
BP1B Na Thiosulfate Amber bottle
AG1T Na Thiosulfate 1L Amber
AG1A 525.3 Chemical Blend

Sender Initials

AD

Additional Comments

Use 00:00 as collect time

12/16 as collect date

WO#: 70398788

PM: LAB

Due Date: 01/06/26

CLIENT: INTER-LATHAM

DC#_Title: ENV-FRM-MELV-0024 v07_SCUR
Effective Date: 4/12/2024

WO#: 70398788

PM: LAB

Due Date: 01/06/26

CLIENT: INTER-LATHAM

Client Name:

Inter-Latham

Project #

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☐ None ☒ Other Type of Ice: Wet Blue None

Thermometer Used: Th24 Correction Factor: h.1 Samples on ice, cooling process has begun
Cooler Temperature (°C): 14.1 Cooler Temperature Corrected (°C): 14.2 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.2°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or
VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

		COMMENTS:
Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name & Signature on COC	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume (Triple volume provided for MS/MSD)	☒ Yes ☐ No	8.
Correct Containers Used	☒ Yes ☐ No	9.
-Pace Containers Used	☒ Yes ☐ No	10.
Containers Intact	☒ Yes ☐ No ☒ N/A	11. Note if sediment is visible in the dissolved container
Filtered volume received for Dissolved tests	☒ Yes ☐ No	12.
Sample Labels match COC	☒ Yes ☐ No	
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER		

Date and Initials of person checking preservation:

All containers needing preservation have been pH paper Lot # <u>21-506</u>	☒ Yes ☐ No ☐ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, NAOH > 12 Cyanide)	☒ Yes ☐ No ☐ N/A	Sample #
Exceptions VOA, Coliform, TOC/DOC, Oil and Grease DRO/8015 (water)		Initial when completed
Per Method, VOA pH is checked after analysis		Lot # of added preservative
Samples checked for dechlorination	☐ Yes ☐ No ☒ N/A	Date/Time preservative added
KI starch test strips Lot #		14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #		15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sulf	☐ Yes ☐ No ☒ N/A	
Lead Acetate Strips Lot #		
Headspace in ALK Bottle (>6mm)	☐ Yes ☐ No ☒ N/A	16.
Headspace in VOA Vials (>6mm)	☐ Yes ☐ No ☒ N/A	17.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	

Client Notification/ Resolution:

Person Contacted:

Comments/ Resolution:

Field Data Required?

Y / N

Date/Time:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.